

# GRAND SEQUOIA®

Premium Designer Shingles



*Click images above to view larger image.*

## ***Great Choice For A Rugged Wood Shake Look***

Designed to emulate the timeless, rugged beauty of real wood shakes and safer because they're UL Class A Fire Rated!



*Due to variations in computer monitors and settings, it is impossible to portray these products exactly as they might appear on your roof. Before selecting your shingle and color, please ask your Contractor to see several full-size shingles, or for the location of homes in your area which have the style/color of shingle that you are interested in.*

## for HOMEOWNERS

- **Distinctive Appearance...** Patented, extra-large shingle with unique design helps create a dramatic visual impact for prestigious homes and properties
- **Safer...** Class A fire and wind rating from Underwriters Laboratories the highest rating possible
- **High Performance...** Super heavyweight design and extra strong Micro-Weave® Core provide outstanding performance in all climates
- **Peace Of Mind...** Lifetime Ltd. transferable warranty with Smart Choice® Protection for the first ten years (non-prorated material and labor coverage)\*
- **Available Colors ...** Autumn Brown Blend, Cedar Blend, Charcoal Blend, Mesa Brown Blend, Sage Green Blend, Slate Blend, and Weathered Wood Blend

\* See Ltd. warranty for complete coverage and restrictions


†Installation Note: 110 mph Ltd. wind warranty applies only when: (a) product is installed using six nails per shingle and (b) product is installed with any GAF Ridge Cap shingle; otherwise, wind warranty is 80 mph

## for PROFESSIONALS

- **Quicker Installation...** Large 17" x 40" size saves labor, allowing you to offer superior value and greater homeowner satisfaction
- **More Referrals...** People will notice!
- **Less Chance Of Call-Backs...** Triple, self-seal design reduces the chance of shingle blow-off shingles warranted to withstand winds up to 110 mph!
- **Stays In Place...** Dura Grip® adhesive seals each shingle tightly and reduces risk of shingle blow-off. Shingles confidently warranted to withstand winds up to 110 mph (requires special installation)!
- **Perfect Finishing Touch...** Use Grand Sequoia®/Grand Canyon Ridge Cap & Starter Strip Shingles, or for a distinctive higher profile look:  
Western Region: Try PacificRidge Ridge Cap Shingles  
All Regions except Western Region: Use Timbertex Ridge Cap Shingles

## Specifications for Grand Sequoia®

- Lifetime Ltd. Warranty
- 10 Year Smart Choice Protection
- 110 mph Ltd. Wind Warranty\*
- Fiberglass Asphalt Shingle
- Class A rating from UL
- Passes UL 997 110 mph Wind Test
- CSA A123.5-M90 & CSA A123.5-98
- ASTM D3018 Type 1
- ASTM D3161 Type 1
- ASTM D3462\*\*\*
- Dade County Approved
- Wisconsin Administrative Code
- Approx. 72 Pieces/Sq.
- Approx. 5 Bundles/Sq.
- Approx. 360 Nails/Sq.
- 5 Exposure
- 6 Sqs./Pallet
- 120 Sqs./Truck
- 20 Pallets/Truck



\* Installation Note: 110 mph warranty applies ONLY when product is installed using 6 nails per shingle and is installed with any GAF Ridge Cap Shingle; otherwise, wind warranty is 80 mph.

\*\* See ltd. warranty for complete coverage and restrictions.

\*\*\* This product is manufactured to meet or exceed ASTM D3462; values from subsequent testing may vary depending on storage conditions



*Grand Sequoia® shingles  
are available nationwide*

**Grand Sequoia®/Grand Canyon Ridge Cap & Starter Shingles**

Dual purpose product (Starter Strip and Hip and Ridge Cap Shingles)

When used as Starter Strip Shingles:

18 starter sheets per Bundle

Approx. 4 Nails per piece

Product Size 13-1/4 x 40

When used as Hip & Ridge Cap Shingles:

72 Pieces/Bundle

33.3 lineal feet/Bundle

Approx. 2 Nails per Piece

5 exposure

**PacificRidge Ridge Cap Shingles** (Western Region only)

48 Pieces/Bundle

33.3 Lineal Feet/Bundle

Approx. 2 Nails/Piece

8 Exposure

**Timbertex Ridge Cap Shingles** (All Regions except West)

30 Pieces/Bundle

20 Lineal Feet/Bundle

Approx. 2 Nails/Piece

8 Exposure